


A Bibliography of the family Epitoniidae

**based on
the Zoological Record,
1943-1994**



**compiled by:
Bruce Neville
April 1997**

A Bibliography
of the Family Epitoniidae
based on the Zoological Record,
1943-1994

compiled by Bruce Neville

First edition, April 1997
copyright Bruce Neville, 1997

Privately published and available from the author at:

2105 Lakeview Road SW
Albuquerque, New Mexico 87105-6104
USA

Cover illustrations: *Scalaria algeriana* (upper left) and *S. hyalina* (lower series) from
Tryon's *Manual of Conchology*.

Table of Contents

Bibliography	4
--------------------	---

Indexes:

Species-group names	27
Genus-group names	33
Family-group names and higher	35
Other organisms	36
Geographic names	37
Geological eras	39
Other	40

1. Abbas, H. L. A monograph on the new Miocene gastropods in the Cairo-Suez district, Egypt. *J. Univ. Kuwait (Sci.)* 4:83-158; 1977.
2. Abbas, H. L. The evolutionary characters of certain turreted gastropod families and their significance in ontogeny and phylogeny. *J. Geol. U.A.R* 5(1):39-54; 1961.
3. Abbas, H. L. A monograph on the Egyptian Cretaceous gastropods. *Monogr. Geol. Mus. Cairo Palaeontol. Ser 2*:1-146; 1963.
4. Abbas, H. L. A monograph on the Egyptian Paleocene and Eocene gastropods. *Monogr. Geol. Mus. U.A.R no. 4*:1-154; 1967.
5. Addicott, W. O. Miocene gastropods and biostratigraphy of the Kern River area, California. *Prof. Pap. U.S. Geol. Surv* 642: 1-174; 1970.
6. Aguirre, M. L. Type specimens of Quaternary marine gastropods from Argentina. *Ameghiniana* 30(1):23-38; 1993.
7. Akopyan, V. T. [Late Cretaceous gastropods of the Armenian SSR]. Erevan: Akad. Nauk Armyanskoi SSR; 1976.
foreign Russian.
8. Anderson, H. J. Die miocäne Reinbek-Stufe in Nord- und Westdeutschland und ihre Mollusken-Fauna. *Fortschr. Geol. Rheinld. Westf* 14:31-368; 1964.
foreign English summary.
9. Ando, Y. Pleistocene molluscan fossils from Oji, Tokyo Pref. (Tokyo Formation) 3. Minato, M.; Ohmari, M.; Mizumo, T.; Obata, I., eds. *Atlas of Japanese fossils*. Tokyo: Tsukiji Shokan Publ. Co; 1973: Sect. 15: Q18.
foreign Japanese
5 figs, 16 pls.
10. Ankel, W. E. Beobachtungen und Überlegungen zur Morphogenese der atypischen Spermien von *Scala clathrus* L. *Zool. Anz* 160:261- 276; 1958.
11. Anon. *Anthologia iconica* 9. *Conchiglia* 24(265):32-33; 1992.
12. Anon. A beautiful wentletrap. *Aust. Shell News* no. 23:102; 1978.
13. Anon. Family Epitoniidae. *Min. Conchol. Club S. Calif* 158(June 1956):2-6; 1956.
14. Anon. A new species of *Epitonium* from Taiwan. *Conchiglia* 5(101):15; 1977.
15. Arnaud, P. M. Révision des taxa malacologiques méditerranéens introduits par Antoine Risso. *Ann. Mus. Hist. Nat. Nice* 5:101-150; 1977.
foreign English summary.

16. Asokakumaran Unnithan, K. Four new records of prosobranch gastropods from Mandapam. *Ind. J. Fisheries* 23(1-2):279-282; 1976.
17. Azuma, M. A catalogue of the shell-bearing Mollusca of Okinoshima, Kashiwajima and the adjacent area (Tosa Province) Shikoku, Japan. 1960.
Publication information given in Japanese.
18. Azuma, M. Descriptions of five new species of Japanese Epitoniidae. *Venus* 22:130-135; 1962.
19. Azuma, M. Descriptions of four new gastropods from South China Sea. *Venus* 31(2):55-61; 1972.
foreign Japanese with English summary.
20. Azuma, M. Descriptions of six new species of Japanese marine Gastropoda. *Venus* 21:296-303; 1961.
21. Azuma, M. Studies of the radulae of the Japanese Epitoniidae. *Venus* 30:97-102; 1971.
22. Babbi, B.; Rinaldi, E. Ritrovamento di molluschi rari o poco noti in lo Adriatico settentrionale. *Boll. Malacol* 17(11-12):296; 1981.
foreign Italian.
23. Bandel, K. Über Caenogastropoda der Cassianer Schichten (Obertrias) der Dolomiten (Italien) und ihre taxonomische Bewertung. *Mitteil. Geol.-Palaeontol. Inst. Univ. Hamburg* 73:37- 97; 1992.
foreign German with English summary.
24. Barnard, K. H. Contributions to the knowledge of South African marine Mollusca. Part III. Gastropoda: Prosobranchiata: Taenioglossa. *Ann. S. Afr. Mus* 67:1-199; 1963.
25. Barnard, K. H. Deep-sea Mollusca from the region south of Madagascar. *Invest. Rep. Div. Fish. S. Afr* no. 44:19; 1963.
26. Barnard, K. H. Deep-sea Mollusca from the region south of Madagascar. *Coll. Repr. Int. Ind. Ocean Exped* 2:483-501; 1966.
Reprinted from *Commerce & Industry*, April 1963, 1-19.
27. Berry, S. S. On *Opalia montereyensis* (Dall). *J. Ent. Zool* 40:15-19; 1948.
28. Bertolaso, L.; Palazzi, S. La posizione sistematica di *Delphinula bellardii* Michelotti, 1847. (Appunti di malacologica neogenica: 2). *Boll. Malacol.* 29(9-12):291-302; 1994.
foreign Italian with English summary.
29. Beu, A. G. Habitat and relationships of *Iphitella neozelanica* (Dell) (Gastropoda: Epitoniidae). *N.Z. J. Mar. Freshw. Res* 12(4):391-396; 1978.
30. Beu, A. G.; Maxwell, P. A. Cenozoic Mollusca of New Zealand. *N.Z. Geol. Surv. Paleontol. Bull* no. 58; 1990.
31. Bishop, M. J.; Bishop, S. J. New records of Pleistocene marine Mollusca from Pacific Beach, San Diego, California. *Veliger* 15(1):6; 1972.

32. Blake, A. F.; Oliver, P. G. Epitoniacea (Epitoniidae). Handlists Moll. Coll. Dept. Zool. Natn. Mus. Wales. Ser. I. Melville-Tomlin Coll 12:1-36; 1982.
33. Boone, C. E. Search and seizure. *Texas Conchol* 21(2):47-48; 1985.
34. Bosch, H. F. A gastropod parasite of stolidary corals in Hawaii. *Pacific Sci* 19:267-268; 1965.
35. Bouchet, P.; Taviani, M. Atlantic deep sea gastropods in the Mediterranean: new findings. *Boll. Malacol* 25(5-8):137-148; 1989.
36. Bouchet, P.; Tiller, S. Two new giant epitoniids (Mollusca: Gastropoda) from West Africa. *Veliger* 20(4):345-348; 1978.
37. Bouchet, P.; Waren, A. Revision of the northeast Atlantic bathyal and abyssal Aclididae, Eulimidae, Epitoniidae (Mollusca, Gastropoda). *Boll. Malacol* 2(supp):299-576; 1986.
38. Bratcher, T.; Cernohorsky, W. O. Living terebras of the world; a monograph of the Recent Terebridae of the world. Melbourne, Fla: Amer. Malacologists; 1987.
39. Brébion, P. L'origine de *Scala foliacea* Sow. (Gastéropoda) et ses migrations au cours du Néogène et du Quaternaire. *C. R. Somm. Séanc. Soc. Géol. Fr* 1965:263-264; 1965.
40. Brives, A. Fossiles miocènes (1re partie). *Materiaux Carte Geol. Algerie Paleontol no. 3*:1-38; 1897. foreign French.
41. Bulnheim, H. P. Atypische Spermatozoenbildung bei *Epitonium tinctum*: ein Beitrag zum Problem des Spermatozoendimorphismus der Prosobranchia. *Helgoländer Wiss. Meeresunter* 18:232-253; 1968.
42. Calzada, S. *Confusiscalca caneroti* n. sp. del Aptiense inferior de Chert (Castellón). *Acta. Geol. Hispan* 8(4):131-133; 1973. foreign English summary.
43. Caricati, A. Reperti inconsuati dalle coste occidentali africane. *Conchiglia* 9(11-12):235-238; 1973.
44. Castellanos, Z.; Rolan, E.; Bartolotta, S. Nuevos micromoluscos de la plataforma inferior Argentina y talud superior (Moll. Gastropoda). *Rev. Mus. La Plata Secc. Zool* 14(156):93-102; 1987. foreign Spanish with English summary.
45. Cianfanelli, S.; Talenti, E. Ulteriori conoscenze sulla malacofauna del Golfo di Baratti (Piombino-LI). *Bull. Malacol.* 23(5-8):263-268; 1987.
46. Cipolla, P. Macrofauna del Pleistocene inferiore di Cinisi (Sicilia). *Naturalista Sicil. (Ser. 4)* 2(1-2):55-67; 1978. foreign English summary.
47. Clarke, A. H. Molluscs from Baffin Bay and the northern North Atlantic Ocean. *Publ. Biol. Oceanogr. Natn. Mus. Nat. Sci. Canada no. 7*:1-23; 1974.

48. Cleveley, R. J. Two new British Cretaceous Epitoniidae (Gastropoda): evidence for evolution of shell morphology. *Bull. Br. Mus. Nat. Hist. (Geol.)* 34(4):235-249; 1980.
49. Clench, W. J.; Turner, R. D. The genera *Sthenorytis*, *Cirsotrema*, *Acirsa*, *Opalia* and *Amaea* in the western Atlantic. *Johnsonia* 2(29):221-246; 1950.
50. Clench, W. J.; Turner, R. D. The genus *Epitonium* in the western Atlantic. Part I. *Johnsonia* 2:249-288; 1951.
51. Collignon, M. Le Crétacé supérieur d'Antonibe. Conches de passage du Crétacé au Tertiaire. *Ann. Géol. Serv. Mines Madagascar* 19:73-77; 1951.
52. Collignon, M. Recherches sur les Faunes Albiennes de Madagascar. I.--L'Albien d'Ambaraminga. *Ann. Géol. Serv. Mines Madagascar* 16:1-128; 1949.
53. Connolly, C. M. A note on *Epitonium lamellosum* Lamarck. *Strandloper* no. 162:4-5; 1974.
54. Conti, M. A.; Fischer, J. C. La faune a gastropods du Jurassique moyen de Case Canepine (Umbria, Italie). *Systematique, paleobiogeographie, paleoecologie. Geol. Rom* 21:125-183; 1982.
foreign French with Italian summary.
55. Corner, B. D. Observations of live *Nitidiscala statuminata* (Sowerby, 1844). *Of Sea and Shore* 12(1):28; 1981.
56. Cotelli, F.; Piccoli, G.; Sambugar, B.; Vendemiatidei Medici, M. C. I molluschi fossili di Castelgomberto eil 'loro significata nella paleoecologica dell'oligocene Veneto. *Mem. Inst. Geol. Mineral. Univ. Padova* 28:1-31; 1973.
foreign English summary.
Volume made up of several nonconsecutively paginated articles published 1971-73.
57. Cotton, B. C. Family Scalidae. *Malacol. Sect. R. Soc. S. Aust*; 1956. (vol. no. 9).
58. Cravato, P.; Taviani, M. *Nystiella atlantis* Clench & Turner, 1952, from the Pleistocene of Archi (Reggio Calabria: southern Italy): first fossil record of the subfamily *Nystiellinae* (Gastropoda, Epitoniidae). *Boll. Malacol* 21(10-12):289-294; 1985.
59. Dance, S. P. *Shell collecting, an illustrated history*. London: Faber & Faber; 1966.
60. Dartevelle, E.; Roger, J. Sur un Scalidé du Miocène de Luanda (Angola). *Bull. Mus. Hist. Nat. Paris* 23(2):456-461; 1951.
61. de C. Rios, E.; de Loyola e Silva, J.; Matthews, J. R. Moluscos marinhos de ampla distribuiça~o latitudinal. *Acta Biol. Paran* 4(3-4):121-133; 1975.
foreign English and French summary.
62. Dell, R. K. Antarctic Mollusca with special reference to the fauna of the Ross Sea. *R. Soc. N.Z. Bull no.* 27; 1990.

63. Delpy, G. Gastéropodes recueillis par M. Sénesse dans le Santonien Supérieur des Corbières. Bull. Soc. Hist. Nat. Toulouse 72(2):155-162; 1938.
64. Delsaerdt, A. An irritating Epitonium from the Solomon Islands. Gloria Maris 29(1):7-8; 1990.
65. den Hartog, J. C. An unusual phenomenon observed in Epitonium clathratulum (Kanmacher, 1797) (Prosobranchia: Epitoniidae): live snails becoming separated from their shells. Basteria 52(1-3):3-7; 1988.
66. den Hartog, J. C. Observations on the wentletrap Epitonium clathratulum (Kanmacher, 1797) (Prosobranchia: Epitoniidae) and the sea anemone Bunodosoma biscayensis (Fischer, 1874) (Actinaria: Actiniidae). Basteria 51(4-6):95-108; 1987.
67. Deraniyagala, P. E. P. Some fossils from the Miocene amphitheatre et Minihagalkauda, Ceylon. Spolia Zeylan 28:1-5; 1956.
68. Dockery, D. T. ., III. Mollusca of the Moodys Branch Formation, Mississippi. Bull. Miss. Geol. Econ. Topogr. Surv no. 120; 1977.
69. Draper, B. Shells of the west coast of the Americas. Tabulata 7(1):7; 1974.
70. Drivas, J.; Jay, M. Three new species of genus Epitonium from Reunion Island (Gastropoda: Epitoniidae). Venus 48(3):150- 153; 1989.
71. DuShane, H. Classification of three species of Epitoniidae found in Hawaii waters. Haw. Shell News 35(6):1,4; 1987.
72. DuShane, H. Description of a previously misidentified species of Epitonium (Gastropoda: Epitoniidae). Veliger 21(3): 379-380; 1979.
73. DuShane, H. Epitonium (Asperiscala) billeeana (DuShane & Brather, 1965) non Scalina billeeana DuShane Bratcher, 1965. Veliger 10:87-88; 1966.
74. DuShane, H. Epitonium textimattum, a new gastropod from the west coast of Mexico. Nautilus 91(3):89-91; 1977.
75. DuShane, H. The family Epitoniidae (Mollusca: Gastropoda) in the northeastern Pacific. Veliger 22(2):91-134; 1979.
76. DuShane, H. The family Epitoniidae of Panama Bay. Festivus 17(7):68-75; 1985.
77. DuShane, H. Five new epitoniid gastropods from the west coast of the Americas. Contr. Sci no. 185:1-6; 1970.
78. DuShane, H. Geographical distribution of some Epitoniidae (Mollusca: Gastropoda) associated with fungiid corals. Nautilus 102(1):30-35; 1988.
79. DuShane, H. Hawaiian Epitoniidae. Haw. Shell News 36(2):3-4; 1988.

80. DuShane, H. Hawaiian Epitoniidae. *Haw. Shell News* 36(5):9- 10; 1988.
81. DuShane, H. Hawaiian Epitoniidae. *Haw. Shell News* 36(4):1,7; 1988.
82. DuShane, H. Hawaiian Epitoniidae. *Haw. Shell News* 38(suppl. 1):1-17; 1990.
83. DuShane, H. Hawaiian Epitoniidae (continued). *Haw. Shell News* 36(7):4-5; 1988.
84. DuShane, H. Hawaiian Epitoniidae (continued). *Haw. Shell News* 36(11):7,9; 1988.
85. DuShane, H. Hawaiian Epitoniidae (continued). *Haw. Shell News* 36(10):5; 1988.
86. DuShane, H. Hawaiian Epitoniidae (continued). *Haw. Shell News* 36(9):4-5; 1988.
87. DuShane, H. Hawaiian Epitoniidae (continued). *Haw. Shell News* 36(12):14; 1988.
88. DuShane, H. The many synonymic names of *Gyroscala lamellosa* (Lamarck, 1822). *Haw. Shell News* 35(11):12; 1987.
89. DuShane, H. A new abyssal *Amaea* (Gastropoda: Epitoniidae) from the north eastern Pacific Ocean. *Nautilus* 91(3):87-88; 1977.
90. DuShane, H. New developments in the family Epitoniidae. *Annu. Rep. West. Soc. Malacol* 15:10-12; 1982.
abstract.
91. DuShane, H. New Hawaiian species of Epitoniidae (Mollusca: Gastropoda). *Veliger* 31(3-4):267-271; 1988.
92. DuShane, H. A new species of *Amaea* (*Scalina*) from the Pliocene of Baja California Sur, Mexico (Mollusca, Gastropoda). *J. Paleontol* 51(5):953-958; 1977.
93. DuShane, H. The Panamic-Galapagan Epitoniidae. *Veliger* 16(suppl.):1-84; 1974.
94. DuShane, H. Pliocene Epitoniidae of the Esmeraldas Beds northwestern Ecuador (Mollusca: Gastropoda). *Tulane Stud. Geol. Paleontol* 21(1):51-58; 1988.
95. DuShane, H. A rare Epitonium from the Gulf of California. *Veliger* 8:311-312; 1966.
96. DuShane, H. The synonymy of Epitonium (*Gyroscala*) *lamellosum* (Lamarck, 1822). *Festivus* 19(2):10-12; 1987.
97. DuShane, H. The wandering wentletrap, Epitonium (*Asperiscala*) *billeeana* (DuShane and Bratcher, 1965). *Festivus* 17(4):38-39; 1985.
98. DuShane, H.; Bratcher, T. A new *Scalina* from the Gulf of California. *Veliger* 8:160-161; 1965.

99. DuShane, H.; McLean, J. H. Three new epitoniid gastropods from the Panamic province. *Contr. Sci no.* 145:1-6; 1968.
100. Eames, F. E. A contribution to the study of the Eocene in western Pakistan and western India. C. The description of the Scaphopoda and Gastropoda from standard sections in the Rakhi Nala and Zinda Pir areas of the western Punjab and in the Kohat District. *Phil. Trans. Roy. Soc* 236B:1-168; 1951.
101. Eames, F. E. Eocene Mollusca from Nigeria: a revision. *Bull. Br. Mus. Nat. Hist. (Geol.)* 3(2):23-70; 1957.
102. Emerson, W. K.; Jacobson, M. K. The American Museum of Natural History guide to shells, land, freshwater and marine, from Nova Scotia to Florida. New York: Knopf; 1976.
103. Emerson, W. K.; Sage, W. E. ., III. On the availability of names proposed in Pacific Shell News, Tokyo, 1970-72. *Nautilus* 101(4):194-199; 1987.
104. Espinosa, J.; Fernandez Garces, R. La familia Epitoniidae (Mollusca: Gastropoda) en Cuba. *Poeyana no.* 404:1-13; 1990.
foreign Spanish with English summary
Publ. by Inst. Zool. Acad. Cienc. Cuba.
105. Espinosa, J.; Garces, R. F. Primer registro de la familia Stenacmidae (Mollusca: Gastropoda) para las Antillas. *Misc. Zool. (Havana)* no. 43:2-3; 1989.
foreign Spanish.
106. Evans, R. A. Unattached body whorls in *Asperiscala bellastriata*. *Of Sea and Shore* 12(2):81; 1981.
107. Fain-Maurel, M. A. Acquisitions récentes sur les spermatogénèses atypiques. *Année Biol* 5(4):513-564; 1966.
108. Fenaux, A. Descriptions de Scalidae nouveaux. Observations sur la classification de cette famille. Descriptions de Conidae nouveaux. *Bull. Inst. Océanogr. Monaco* no. 834:1-4; 1943.
109. Figueiras, A.; Broggi, J. Estado actual de nuestros conocimientos sobre los moluscos fósiles del Uruguay (Parte 3-- continuación). *Comun. Soc. Malacol. Urug* 3:131-154; 1971.
110. Figueiras, A.; Broggi, J. Nuevas especies de gastropodos marinos de la Formacion Camacho (Mioceno Superior de Uruguay), 2. *Comun. Soc. Malacol. Urug* 6(50):341-355; 1986.
foreign Spanish.
111. Florei, N. Nouvelles connées sur la faune Miocène de Zorlentu-Mare (Banat). *Studii Cerc. Geol.* 6:667-698; 1961.
foreign Rumanian with French summary.
112. Franchini, D. A. Familia Epitoniidae in the Mediterranean Sea. Part 1. *Conchiglia* 7(73-74):10-11,14; 1975.

113. Franchini, D. A. Familia Epitoniidae in the Mediterranean Sea. Part 2. *Conchiglia* 7(75-76):16-17; 1975.
114. Franchini, D. A. Familia Epitoniidae in the Mediterranean Sea. Part 3. *Conchiglia* 7(79-80):10-12; 1975.
115. Franchini, D. A. Familia Epitoniidae in the Mediterranean Sea. Part 4. *Conchiglia* 7(81-82):6-7; 1975.
116. Franchini, D. A. Familia Epitoniidae in the Mediterranean Sea. Parte 4. *Shell* 8(85-86):3; 1976.
117. Franchini, D. A. Problemi classificativi riguardo ad alcuni esemplari di Scala. *Conchiglie* 7(11-12):164-170; 1971.
118. Fretter, V. The transference of sperm from male to female prosobranch, with reference to the pyramidellids. *Proc. Linn. Soc. London* 164:217-224; 1953.
119. Fretter, V.; Graham, A. The prosobranch molluscs of Britain and Denmark. Part 7 - 'Heterogastropoda' (Cerithiopsacea, Triforacea, Epitoniacea, Eulimacea). *J. Moll. Stud Supp.* no. 11: 363-434; 1982.
120. Gardner, J. Mollusca from the Miocene and lower Pliocene of Virginia and North Carolina. Part 2. Scaphopoda and Gastropoda. *Prof. Pap. U.S. Geol. Surv* 199B:177-310; 1948.
121. Gardner, J. Mollusca of the Tertiary formations of northeastern Mexico. *Mem. Geol. Soc. Amer* 11:1-332; 1945.
122. Gardner, N. W. Our wentletraps. *Poirieria* 8(2):26-30; 1975.
123. Giannini, F. Conchiglie rare raccolte nel Tirreno. *Conchiglie* 10(3-4):85-87; 1974.
124. Giles, E.; Gosliner, T. Primary type specimens of marine Mollusca (excluding Cephalopoda) in the South African Museum. *Ann. S. Afr. Mus* 92(1):1-52; 1983.
125. Glass, C.; Foster, B. No more mysteries. *Am. Conchol.* 17(2): 2; 1989.
126. Glazunova, A. E. New Maastrichtian gastropods from western Siberia. Markovskii, B. P., ed. *New species of prehistoric plants and invertebrates of the U.S.S.R.* Part 2. Moscow: Russia Minist. Geol. Okh. Nedr. S.S.S.R.; 1960: Pp. 7-8.
127. Glibert, M. Faune malacologique du Miocène de la Belgique. II. Gasteropodes. *Mém. Inst. Sci. Nat. Belg* no. 121:1-197; 1952.
128. Glibert, M. Gastropodes du Miocène moyen du Bassin de la Loire. *Mém. Mus. Hist. Nat. Belg* 2(fasc. 30):1-240; 1949.
129. Glibert, M. Les Mesogastropoda fossiles du Cénozoïque étranger des collections de l'Institut Royal des Sciences Naturelles de Belgique. Première partie. Cyclophoridae à Stiliferidae (inclus.). *Mém. Inst. Sci. Nat. Belg.* (2) no. 69:1- 305; 1962.

130. Golikov, A. N.; Scarlato, O. A. Molluscs of the Possiet Bay (the Sea of Japan) and their ecology. *Trudy Zool. Inst. Leningr* 42:5-154; 1967.
foreign Russian.
131. Golikov, A. N.; Starobogatov, Y. I. Systematics of prosobranch gastropods. *Malacologia* 15(1):185-232; 1975.
132. Gougerot, L.; le Renard, J. Clefs de determination de petites especes de gasteropodes de l'Eocene du Bassin Parisien. 18.--Le genre *Tenuiscalia*. *Cahiers Nat* 37(3):61-68; 1981.
foreign French.
133. Gougerot, L.; le Renard J. Nouvelles espèces de petits gastéropodes marins de l'Éocène des bassins de Paris, de Nantes et du Cotentin. *Bull. Inf. Géol. Bassin Paris* 14(4):3-33; 1977.
134. Graham, A. British prosobranch and other operculate gastropod molluscs. Keys and notes for the identification of the species. [London]: The Linnaean Society of London; 1981. (Synopses of the British fauna (new series); vol. no. 2).
135. Graham, A. Molluscs: prosobranch and pyramidellid gastropods. 2nd rev. ed. 1988. (Synop. Br. Fauna New Ser.; vol. no. 2).
136. Grant-Mackie, J. A.; Chapman-Smith, M. Paleontological notes on the Castlecliffian Te Pki Bed, with descriptions of new molluscan taxa. *N.Z. J. Geol. Geophys* 14:655-704; 1971.
137. Grasso, S. Ritrovamento di molluschi rari o poco noti lungo i litorali della Sicilia meridionale. *Boll. Malacol* 17(3-4):49- 50; 1981.
foreign Italian.
138. Grossu, A. V. Gastropoda Romaniae. 1. Morphology and biology. Systematics of subclasses Prosobranchia and Opisthobranchia. Bucharest: Editura Litera; 1986.
foreign Romanian with English (and other) summaries.
139. Gruppo Malacologico Camparo. Molluscs from the Gulf of Naples. Part 1. Family Epitoniidae. *Conchiglia* 11(128-129):3-8; 1979.
140. Gubbioli, F.; Nofroni, I. Malacological notes from the Alboron sea (west Mediterranean). Contribution no. 1. *Conchiglia* 17(200-201):20-21; 1975.
141. Gundaker, G. G. Some Epitoniidae of the U.S. east coast and Gulf of Mexico. *Conchiglia* 7(75-76):10-11,14-15; 1975.
142. Gundaker, G. G. Some Epitoniidae of the U.S. east coast and Gulf of Mexico. *Conchiglia* 7(73-74):15-17; 1975.
143. Gundaker, G. G. Some Epitoniidae of the U.S. east coast and Gulf of Mexico. Part 3. *Conchiglia* 7(77-78):14-19; 1975.

144. Habe, T. Comments on the type specimens of four Japanese Mollusca in the Muséum National d'Histoire Naturelle, Paris. *Venus* 37(3):124-126; 1978.
145. Habe, T. Descriptions of fifteen new species of Japanese shells. *Venus* 21:416-431; 1961.
146. Habe, T. Observations on *Habea inazawai* with special reference to its development. *Venus* 13:65-67; 1943.
147. Habe, T.; Itô, K. New genera and species of shells chiefly collected from the north Pacific. *Venus* 24:16-45; 1965.
148. Habe, T.; Kosuge, S. Descriptions of three new gastropods from the sea around Midway Island. *Venus* 29:87-92; 1970.
149. Habe, T.; Kosuge, S. New genera and species of the tropical and subtropical Pacific mollusks. *Venus* 24:312-341; 1966.
foreign Japanese with English summary.
150. Hayward, P. J.; Wigham, G. D.; Yonow, N. Mollusca I: Polyplacophora, Scaphopoda, and Gastropoda. Hayward, P. J.; Ryland, J. S., eds. *The marine fauna of the British Isles and north-west Europe*. Oxford: Clarendon; 1990: 2: Molluscs to chordates: Pp. 628-730.
151. Hertlein, L. G.; Strong, A. M. Eastern Pacific expeditions of the New York Zoological Society. XLIII. Mollusks from the west coast of Mexico and Central America. Part X. *Zoologica* 36:67-120; 1951.
152. Hertz, J. Minute shells. *Festivus* 8(8):58; 1977.
153. Hickman, C. S. Paleogene marine gastropods of the Keasey Formation in Oregon. *Bulls. Am. Paleontol* 78(310):1-112; n.d.
154. Hirayama, K. The Asagai Formation and its molluscan fossils in the northern region, Jôban coal-field, Fukushima Prefecture, Japan. *Sci. Rep. Tokyo Kyoiku Daig* 4:49-130; 1955.
155. Hirayama, K. On two new species (nom. nov.) of fossil Mollusca from the Asogai formation of Jôban coalfield. *Venus* 20(1):96-97; 1958.
foreign Japanese.
156. Il'ina, L. B. [History of gastropods of the Black Sea]. *Trav. Inst. Paléontol. Acad. Sci. URSS* 110:1-228; 1966.
foreign Russian.
157. Iqbal, M. W. A. Mega-fauna from the Ghazij Formation (Lower Eocene), Quetta Shahrig area, West Pakistan. *Mem. Geol. Surv. Pakistan* 5:1-32; 1969.
158. Jaillard, E.; Cappetta, H.; Ellenberger, P.; Feist, M.; Grambast-Fessard, N.; Lefranc, J. P.; Sige, B. Sedimentology, palaeontology, biostratigraphy and correlation of the Late Cretaceous Vilquechico Group of southern Peru. *Cretac. Res.* 14(6):623-661; 1993.

159. Janssen, A. W. Beiträge zur Kenntnis des Miocäns von Dingden und seiner Molluskenfauna 1. *Geologica Palaeontol* 1:115-173; 1967.
160. Janssen, A. W. Die Mollusken-Fauna der Twistringer Schichten (Miocän) von Norddeutschland. *Scripta Geol* 10:1-95; 1972.
foreign English summary.
161. Janssen, R. Die Mollusken de Oberoligozäns (Chattium) im Nordsee-Becken. 1. Scaphopoda, Archaeogastropoda, Mesogastropoda. *Archiv Molluskenkd* 109(1-3):137-227; 1978.
162. Jenner, A. B. *Epitonium scalare* Linné - extension of range. *Strandloper* no. 166:4; 1974.
163. Johnston, M. R.; Tabachnick, R. E.; Bookstein, F. L. Landmark-based morphometrics of spiral accretionary growth. *Paleobiology* 17(1):19-36; 1991.
164. Jung, P. Fossil mollusks from Carriacou, West Indies. *Bulls. Am. Paleontol* 61(269):147-262; 1971.
165. Jung, P. Miocene and Pliocene mollusks from Trinidad. *Bulls. Am. Paleontol* 55:291-657; 1969.
166. Jung, P. Miocene Mollusca from the Paraguaná Peninsula, Venezuela. *Bulls. Am. Paleontol* 49:384-652; 1965.
167. Kanno, S.; Chung, C. T. Mollusca fauna from the so-called Paleogene formations in northern Taiwan. *Geol. Paleontol. S.E. Asia* 13:91-127; 1973.
168. Kase, T. Early Cretaceous marine and brackish-water Gastropoda from Japan. Tokyo: National Science Museum; 1984.
169. Kay, E. A. Marine molluscs in the Cuming collection, British Museum (Natural History) described by William Harper Pease. *Bull. Br. Mus. Nat. Hist. (Zool.) suppl.* 1; 1965.
170. Kecskeméti-Körmendy, A. Neue Molluskenarten aus dem Mittelmiozän von Várpalota. I. Gastropoden. *Foldt. Kozl* 92:81-99; 1962.
foreign Magyar with German summary.
171. Keen, A. M. New mollusks from the Round Mountain silt (Temblor) Miocene of California. *Trans. San Diego Soc. Nat. Hist* 10(2):25-58; 1943.
172. Keen, A. M. Nomenclatural notes on some west American mollusks, with proposal of a new species name. *Veliger* 4:178-180; 1962.
173. Keen, A. M. Sea shells of tropical west America: marine mollusks from Baja California to Peru. 2nd ed. Stanford, Calif.: Stanford Univ. Pr.; 1971.
174. Kensley, B.; Pether, J. Late Tertiary and early Quaternary fossil Mollusca of the Hondeklop area, Cape Province, South Africa. *Ann. S. Afr. Mus* 97(6):141-225; 1986.

175. Kerslake, J. A new Epitonium from eastern Australia. Proc. R. Zool. Soc. N.S.W 1956-57:157-158; 1958.
176. Kerslake, J. A note on Epitonium (*Gyroscala*) perplexum Pease in Australia (Gastropoda: Epitoniidae). J. Malacol. Soc. Aust no. 11:68-70; 1968.
177. Kerslake, J. Reinstatement of Epitonium (*Papyriscala*) tenellum (Hutton) (Gastropoda: Epitoniidae). Eastern Australian molluscan lists. J. Malacol. Soc. Aust 12:18-21; 1969.
178. Kibesaki, O. Ecological studies on *Döderlinia berycoides* in the southwestern part of the Sea of Japan. Contr. Cent. Fish. Stat. Japan no. 107:221-225; 1948.
179. Kilburn, R. N. The family Epitoniidae (Mollusca: Gastropoda) in southern Africa and Mozambique. Ann. Natal Mus 27(1):239-337; 1985.
180. Kilburn, R. N. Taxonomic notes on South African marine Mollusca (2), with the description of new species and subspecies of *Conus*, *Nassarius*, *Vexillum* and *Demoulia*. Ann. Natal Mus 21(2): 391-437; 1972.
181. Kilburn, R. N. Taxonomic notes on South African marine Mollusca (5): including descriptions of new taxa of Rissoidae, Cerithiidae, Tonnidae, Cassidae, Buccinidae, Fasciolaridae, Turbinellidae, Turridae, Architectonicidae, Epitoniidae, Limidae and Thraciidae. Ann. Natal Mus 22(2):577-622; 1975.
182. Kilburn, R. N. Taxonomic studies on the marine Mollusca of southern Africa and Mozambique. Part 1. Ann. Natal Mus 23(1):173- 214; 1977.
183. Koyama, Y. Marine mollusks new to Japan. 1. Nanki Seibutsu 25(2):198-200; 1983.
foreign Japanese.
184. Kozkowski, R. Lower Tortonian gastropods from Korytnica, Poland. Part 1. Palaeontologia Pol no. 32:1-186; 1975.
185. Kozloff, E. N. Marine invertebrates of the Pacific northwest. Seattle: Univ. of Washington Pr.; 1987.
186. Krach, W. Mollusca of the Babica Clays (Paleocene) of the Middle Carpathians. Part 1. Gastropoda. Studia Geol. Polon 14; 1961.
187. Kuroda, T. A catalogue of molluscan fauna of the Okinawa Islands. 1960.
foreign Japanese.
188. Kuroda, T. On a new gastropod genus *Habea*. Venus 13:11-14; 1943.
189. Kuroda, T.; Habe, T.; Oyama, K. The sea shells of Sagami Bay. Tokyo: Maruzen Co.; 1971.
Ed. by Imperial Household Biological Laboratory.
190. Kuroda, T.; Itô, K. Molluscan shells from southern Kii. Venus 21:243-267; 1961.
foreign English summary.

191. Lan, T. C. More data on *Lyria taiwanica* Lan, 1975 and *Epitonium (Laniscala) eboreum* Lan, 1976. Bull. Malacol. Soc. China 5:81-82; 1978. foreign Chinese with English summary.
192. Lan, T. C. A new subgenus and species of *Epitonium* from off southwest of Taiwan. Bull. Malacol. Soc. China 3:21-23; 1976. foreign Chinese with English summary.
193. Laws, C. R. The molluscan faunule at Pakaurangi Point, Kaipara No. 3. Trans. Proc. R. Soc. N.Z 73(4):297-312; 1944.
194. Loch, I. Queensland epitoniids. Aust. Shell News no. 39:3-6; 1982.
195. MacNeil, F. S. Marine invertebrate faunas of the varied beaches near Nome, Alaska. J. Paleontol 17(1):69-96; 1943.
196. MacNeil, F. S. Tertiary and Quaternary Gastropoda of Okinawa. Prof. Pap. U.S. Geol. Surv 339:1-148; 1960.
197. MacNeil, F. S.; Dockery, D. T. ,. III. Lower Oligocene Gastropoda, Scaphopoda, and Cephalopoda of the Vicksburg Group in Mississippi. Bull. Miss. Dept. Nat. Resources Bur. Geol 124:1- 415; 1984.
198. Martinelli, J.; de Villalta, J. F. Revisión y nuevas aportaciones a la fauna del yacimiento pliocénico de Vilacolum, Girona. Acta Geol. Hispan 12(1-3):26-28; 1977. foreign English summary.
199. Marwick, J. Some Tertiary molluscs from North Otago. Trans. Proc. R. Soc. N.Z 73(3):181-192; 1943.
200. Masahito (Prince); Habe, T. A new epitoniid species from Japan. Venus 31(4):135-136; 1973.
201. Masahito (Prince); Habe, T. Systematic study of Japanese Epitoniidae 2. (Mollusca). Bull. Natn. Sci. Mus. Tokyo (Zool.) 1(4):191-194; 1976.
202. Masahito (Prince); Habe, T. Systematic study of Japanese Epitoniidae (3). Bull. Natn. Sci. Mus. Tokyo (Zool.) 2(3):169- 174; 1976.
203. Mason, L., ed. *Epitonium imperialis* Sowerby, 1804. W. Aust. Shell Coll no. 20:4; 1978.
204. Masuda, K. Miocene molluscs from the Shimokurosawa Formation, Ichinoseki City, Iwate Prefecture, northeast Honshu, Japan. Res. Bull. Saito Ho-on Kai Mus no. 45:3-10 [unpag.]; 1977.
205. Masuda, K. Molluscan fauna of the Higashi-Innai Formation of Noto Peninsula, Japan.--3: description of new species and remarks on some species. Trans. Proc. Palaeontol. Soc. Japan (N.S.) 65:1- 18; 1967.
206. Masuda, K. A new Miocene gastropod from Izumi City, Miyagi Prefecture, northeast Japan. Res. Bull. Saito Ho-on Kai Mus no. 53:43-45; 1985.

207. Matsui, M. On some Oligocene molluscan fossils from Hokkaido, Japan. *J. Fac. Sci. Univ. Hokkaido Geol* 10:289-304; 1959.
208. Maxwell, P. A. Eocene Mollusca from the vicinity of McCulloch's Bridge, Waihao River, South Canterbury, New Zealand: paleoecology and systematics. *N.Z. Geol. Surv. Paleontol. Bull* no. 65:1-280; 1992.
209. Maxwell, P. A. Late Miocene deep-water Mollusca from the Stillwater Mudstone at Greymouth, Westland, New Zealand: paleoecology and systematics. *N.Z. Geol. Surv. Paleontol. Bull* 55:1-120; 1988.
210. Maxwell, P. A. Taxonomic and nomenclatural notes on some New Zealand Cenozoic Mollusca, with descriptions of new taxa. *N.Z. J. Zool* 5(1):15-46; 1978.
211. McDermott, J. J. On the reproduction of *Epitonium rupicola* Kurtz (Gastropoda: Epitoniidae). *Veliger* 24(1):67-71; 1981.
212. McDowell, J. At home with Hawaii's epitonids. *Haw. Shell News* 29(4):1,7; 1981.
213. McDowell, J. Hawaii's Epitonium community revisited. *Haw. Shell News* 33(2):3; 1985.
214. McGinty, T. L. *Epitonium* (*Cirsotrema*) *pilsbryi* [a correction]. *Nautilus* 62(4):142; 1949.
215. McGinty, T. L. New marine shells dredged off Palm Beach, Florida. *Nautilus* 54(2):62-64; 1940.
216. McWilliams, R. G. Biostratigraphy of the marine Eocene near Seattle, Washington. *Northwest Sci* 45(4):276-287; 1971.
217. Melone, G. Lora Lamia Donin, C.; Cotelli, F. Aspetti ultrastrutturali degli spermatozoi atipici in *Scalidae* (Gastropoda: Prosobranchia). *Boll. Zool* 45(3):261-268; 1978.
foreign English summary.
218. Melone, G.; Lora Lamia Donin, C.; Cotelli, F. The paraspermatic cell (atypical spermatozoon) of *Prosobranchia*: a comparative ultrastructural study. *Acta Zool., Stockh* 61(4):191- 201; 1980.
219. Mesnerics, C. I. Die Tortonische Fauna von Hidas; Kom. Baranya, Ungarn. *Ann. Inst. Geol. Pub. Hungarici* 39(2):1-106; 1950.
foreign German summary.
220. Mienis, H. K. On the systematic position of *Scalaria striatissima* Monterosato. *Boll. Malacol* 17(7-8):199-200; 1981.
221. Mienis, H. K. The precious wentletrap, *Epitonium scalare*, in the Red Sea. *Levantina* no. 27:309-310; 1980.
222. Mienis, H. K. Range extension for *Epitonium scalare*. *Haw. Shell News* 22(12):3; 1974.

223. Mifsud, C. Recenti scoperte mediterranee. *Opaliopsis atlantis* (Clench & Turner, 1952). *Conchiglia* 25(268):61-62; 1993. English and Italian.
224. Minichev, Yu S.; Starobogatov, Ya S. The subclasses of Gastropoda and their phylogenetic relations. *Zoologicheskii Zh* 58(3):293-305; 1979. foreign Russian with English summary.
225. Moore, E. J. Oligocene marine mollusks from the Pittsburg Bluff Formation in Oregon. Prof. Pap. U.S. Geol. Surv no. 922:1- 66; 1976.
226. Moraal, J. M. Opgespoelde schelpen uithet Tertiair van de mond der Westerschelde. *Publ. Ned. Geol. Ver N.S.* 7:216-219; 1961.
227. Nakayama, T. A new epitoniid species from the Pacific coast of the Kii Peninsula, Japan. *Veliger* 34(1):88-90; 1991.
228. Nicolay, K. *Epitonium celesti* Arades. *Conchiglia*(156-157): 10; 1982.
229. Nishiwaki, S.; Toshimoto, T. Dimorphism in typical and atypical spermatozoa forming two types of spermatozeugmata in two epitoniid prosobranchs. *Venus* 28:37-46; 1969.
230. Noda, H. Molluscan fossils from the Ryukyu Islands, southwestern Japan. Part 1. Gastropoda and Pelecypoda from the Shinzato Formation in southeastern part of Okinawa-jima. *Sci. Rep. Inst. Geosci. Univ. Tsukuba Sect. B. Geol. Sci* 1:1-95; 1980.
231. Noda, H. Molluscan fossils from the Ryukyu Islands, southwest Japan. Part 2. Gastropoda and Pelecypoda from the Shinzato Formation in the middle part of Okinawa-jima. *Sci. Rep. Inst. Geosci. Univ. Tsukuba Sect. B. Geol. Sci* 9:29-85; 1988.
232. Nofroni, I. *Epitonium smithi* quala sinonimo di *Epitonium hispidulum*. *Notiziario Cent. Ital. Stud. Malacol* 3(1-2):19-22; 1981. foreign Italian.
233. Nordsieck, F. Die Miozäne Molluskenfauna von Miste- Winterswijk NL (Hemmoor). Stuttgart: G. Fischer Verlag; 1972.
234. Nordsieck, F. Marine Gastropoden aus der Shigmona-Bucht in Israel. *Archiv Molluskenkd* 102(4-6):227-245; 1972.
235. Nordsieck, F. Molluscs from the continental shelf bottom between Corsica and Sardinia (Bocche di Bonifacio, Station K1). *Conchiglia* 6(3):11-14; 1974.
236. Nordsieck, F. Wie die Meeresschnecken zu ihrem Namen kamen. *Neptun* 2:352-354; 1962.

237. Ohara, S. Pleistocene fossils from south Kanto district 3 (Semato Formation 5). Minato, M.; Ohmari, M.; Mizumo, T.; Obata, I., eds. Atlas of Japanese fossils. Tokyo: Tsukiji Shokan Publ. Co; 1973: Sect. 15: Q36.
foreign Japanese
4 figs, 27 pls.
238. Okamoto, M. Malacophilately. Chiribotan 20(1-2):45; 1989.
foreign Japanese with English summary.
239. Okutani, T. Report on the archibenthal and abyssal gastropod Mollusca mainly collected from Sagami Bay and adjacent waters by the R. V. 'Soyo-Maru' during the years 1955-1963. J. Fac. Sci. Univ. Tokyo Sect. II 15:371-447; 1964.
240. Oliverio, M. Brief notes on the ecology of *Cirsotrema pumiceum* (Brocchi, 1814). Conchiglia 18(204-205):3; 1986.
241. Olsson, A. A. Neogene mollusks from northwestern Ecuador. Ithaca, N.Y.: Paleontological Research Inst.; 1964.
242. Olsson, A. A. Tertiary and Quaternary fossils from the Burica Peninsula of Panama and Costa Rica. Bulls. Am. Paleontol 27(106):1-8; 1942.
243. Olsson, A. A.; Smith, M. New species of Epitoniidae and Vitrinellidae from Panama City. Nautilus 65:44-46; 1951.
244. Otero-Schmitt, J.; Trigo-Trigo, J. Molluscos de la Ria de Muros. Thalassus 7:79-90; 1990.
foreign Spanish with English summary.
245. Oyama, K.; Mizuno, A. On the new forms of Paleogene molluscs from Japan. Bull. Geol. Surv Japan 9:589-606; 1958.
246. Ozaki, H. Stratigraphical and paleontological studies on the Neogene and Pleistocene formations of the Tyôsi District. Bull. Natn. Sci. Mus. Tokyo 4(1):1-182; 1958.
247. Page, A. J.; Willan, R. C. Ontogenetic change in the radula of the gastropod *Epitonium billeeana* (Prosobranchia: Epitoniidae). Veliger 30(3):222-229; 1988.
248. Palmer, K. v. W. Notes on Eocene gastropods, chiefly Clairbornian. Bulls. Am. Paleontol 28(112):1-26; 1944.
Also numbered pp. 306-330.
249. Palmer, K. v. W. Univalves. Bulls. Am. Paleontol 30(117, sect. 2):207-563; 1947.
Index also by Palmer.
250. Paschal, N. D. the wide world of wentletraps. Of Sea and Shore 12(4):202; 1982.

251. Paschall, N. D. The Arctic wentletrap *Epitonium greenlandicum* (Perry, 1811) collected in the Waccamaw Formation (early Pleistocene) of North Carolina and Georgia, U.S.A. *Bull. Paleomalacol* 1(4):67-68; 1988.
252. Paschall, N. D. The elusive wentletrap, *Epitonium gradatum*. *Am. Conchol* 15(3):14; 1987.
253. Paschall, N. D. A Hawaiian mystery *Epitonium*. *Haw. Shell News* 35(2):7; 1987.
254. Paschall, N. D. Lost and found-Atlantic precious wentletrap. *Conchol. Am. Bull* 14(4):66; 1986.
255. Paschall, N. D. Research results: one species worldwide? *Epitonium blainei/zelebori*. *Conchol. Am. Bull* 15(1):13-14; 1987.
256. Paschall, N. D. Wandering wentletraps. *Haw. Shell News* 35(4):9; 1987.
257. Pchelintsev, V. F. [Gastropod fauna of the Upper Cretaceous deposits in Transcaucasia and Middle Asia]. *Ser. Monogr. Geol. Muz. A. P. Karpinskogo* 1:1-391; 1953.
foreign Russian.
258. Pchelintsev, V. F. Mesozoic Murchisoniata of the Crimean Highlands. *Int. Geol. Rev* 10(11):Book sections 1-46; 1968.
Partial translation of the Russian.
259. Peña, G. G. M. Registros adicionales de gasterópodos marinos del Perú. *Ann. Cient., Lima* 14:1-8; 1976.
foreign English summary.
260. Perilliat, M. del C. Monografía de lo moluscos del Mioceno medio de Santa Rosa, Veracruz, México. Parte 1. (Gasterópodos: Fissurellidae a Olividae). *Paleontología Mex no.* 32:1-232; 1972.
261. Perron, F. The habitat and feeding behavior of the wentletrap *Epitonium greenlandicum*. *Malacologia* 17(1):63-72; 1978.
262. Petuch, E. J. Neogene history of tropical American mollusks. Biogeography and evolutionary patterns of tropical western Atlantic Mollusca. Charlottesville, Va.: Coastal Educ. & Research Found.; 1988.
263. Peyrot, A. Les mollusques testacés univalves des dépôts helvétiens du Bassin Ligérien. *Catalogue critique, descriptif et illustré. Act. Soc. Linn. Bordeaux* 89(suppl.):5-361; 1938.
264. Pfeiffer, W. Schnecken- und Muschelschalen. *Neptun* 2:68-71; 1962.
265. Phorson, J. E. Some observations on juvenile shells: *Chauvetia brunnea* and *Epitonium clathratulum*. *Conchol. Newsl no.* 114:312-314; 1992.
266. Pitt, W. Two new gastropod occurrences in the Ecuadorian Neogene. *Tulane Stud. Geol. Paleontol* 16(4):155-156; 1981.

267. Ponder, W. F. The unfigured Mollusca of J. thiele, 1930 published in Die Fauna südwest-Australiens. Rec. W. Aust. Mus 6(4):423-441; 1978.
268. Powell, A. W. B. Antarctica and subantarctic Mollusca: Pelecypoda and Gastropoda. Discovery Rep 26:47-196; 1951.
269. Princz, D. New records of living marine Gastropoda of Venezuela. Veliger 25(2):174-175; 1982.
270. Rajagopal, A. S.; Mookerjee, H. P. Contributions to the molluscan fauna of India. Part 2. Marine molluscs of the Coromandel Coast, Palk Bay and gulf of Mannar--Gastropoda: Mesogastropoda (partim). Rec. Zool. Surv. India Misc. Publ. Occ. Pap no. 28:1-53; 1982.
271. Rehder, H. A. Two new species of Cirsotrema (Epitoniidae) from Florida. Proc. Biol. Soc. Wash 58:127-129; 1945.
272. Rennie, J. V. L. Lamelibrânquios e Gastrópodos do cretácico superior de Angola. Mem. Jta. Miss. Geogr. Colon. Geol 1:1-141; 1945.
English and Portugese.
273. Rennie, J. V. L. Os fósseis Aptianos de Chalala near Lourenço Marques. Bol. Serv. Min. Geol. Moçambique 9:1-41; 1947.
foreign; English pp. 45-81.
274. Resch Smith, C.; Breyer, A. Comparisons of northern and southern populations of Epitonium tinctum (Carpenter, 1864) on the California coast. Veliger 26(1):37-46; 1983.
275. Rex, M. A.; Boss, K. J. Systematics and distribution of the deep-sea gastropod Epitonium (Ecclesiogyra) nitidum. Nautilus 87(4):93-98; 1973.
276. Richards, A. Welcome to the navel of the world. Haw. Shell News 34(1):1,8; 1986.
277. Richards, E. F. Mesozoic fossils of the Peruvian Andes. Part II--Echinoidea, Pelecypoda and Gastropoda. Johns Hopkins Univ. Stud. Geol 15:29-80; 1947.
278. Richards, H. G.; Shapiro, E. An invertebrate macrofauna from the Upper Cretaceous of Delaware. Rep. Invest. Del. Geol. Surv 7: 1-37; 1963.
279. Richter, G. Field and laboratory observations on the diurnal vertical migration of marine gastropod larvae. Neth. J. Sea Res 7:126-134; 1973.
280. Richter, G.; Thorsen, G. Pelagische Prosobranchier-larven des Golfes von Neapel. Ophelia 13(1-2):109-185; 1975.
foreign English summary.
281. Ricordi, P. Prima segnalazione di Narrimania concinna (Sykes, 1925) per il mare Tirreno meridionale. Boll. Malacol. 29(1-4):93-94; 1993.
foreign Italian with English summary.

282. Rindone, V. *Opaliopsis luisae*, nuova especie di Nystiellinae Clench & Turner, 1952 (Mesogastropoda: Epitoniidae) del Pleistocene della Cava Aloi di Archi, Reggio Calabria. *Boll. Malacol* 26(1-4):57-60; 1990.
foreign Italian with English and French summary.
283. Rios, E. C. Moluscos marinos de la expedición Geomar IV. *Comun. Soc. Malacol. Urug* 3(23-24):193-201; 1973.
284. Rios, E. C.; Absalao, R. Contribucion al conocimiento de la familia Epitoniidae S. S. Berry, 1910 en el Brasil. *Comun. Soc. Malacol. Urug* 6(50):367-370; 1986.
foreign Spanish with English summary.
285. Roberston, R. Observations on the life history of the wentletrap *Epitonium albidum* in the West Indies. *Bull. Am. Malacol. U* 1:1-11; 1983.
286. Robertson, R. Axial shell rib counts as systematic characters in *Epitonium*. *Nautilus* 97(3):116-118; 1983.
287. Robertson, R. *Epitonium millecostatum* and *Coralliophila clathrata*: two prosobranch gastropods symbiotic with Indo-Pacific *Palythoa* (Coelenterata: Zoanthidae). *Pacific Sci* 34(1):1-17; 1980.
288. Robertson, R. *Epitonium scalare* still a mystery. *Haw. Shell News* 34(2):11; 1986.
289. Robertson, R. Extraordinarily rapid postlarval growth of a tropical wentletrap (*Epitonium albidum*). *Nautilus* 97(2):60-66; 1983.
290. Robertson, R. Observations on the life history of the wentletrap *Epitonium echinaticostatum* in the Bahamas. *Nautilus* 97(3):98-103; 1983.
291. Robertson, R. Protandry with only one sex change in an *Epitonium* (*Ptenoglossa*). *Nautilus* 95(4):184-186; 1981.
292. Robertson, R. Review of the predators and parasites of stony corals, with special reference to symbiotic prosobranch gastropods. *Pacific Sci* 24:43-54; 1970.
293. Robertson, R. Wentletraps (Epitoniidae) feeding on coelenterates. *Annu. Rep. Am. Malacol. U* 28:7-8; 1961.
abstract.
294. Robertson, R. Wentletraps (Epitoniidae) feeding on sea anemones and corals. *Proc. Malacol. Soc. London* 35:51-63; 1963.
295. Robertson, R.; Oyama, K. The family Stenacmidae. *Nautilus* 72:68-69; 1958.
296. Robertson, R.; Schutt, P. L. Golden wentletraps on golden corals. *Haw. Shell News* 32(11):1,4; 1984.
297. Rosewater, J. An annotated list of the marine mollusks of Ascension Island, South Atlantic Ocean. *Smithson. Contr. Zool* no. 189:1-41; 1975.

298. Rutsch, R. Die Mollusken der Springvak-Schichten (Obermiocaen) von Trinidad (British West-India). Verh. Naturf. His. Basel 54:96-182; 1943.
299. Sabelli, B.; Taviani, M. Red sea record of a *Fungia*- associated epitoniid. Boll. Malacol 20(1-4):91-94; 1984.
300. Salo, S. Observations on feeding, chemoreception and toxins in two species of *Epitonium*. Veliger 20(2):168-172; 1977.
301. Saul, L. R.; Popenoe, W. P. Additions to Pacific Slope Turonian Gastropoda. Veliger 36(4):351-388; 1993.
302. Saunders, G. D. Notes on the distribution of a little-known epitoniid believed to be *Opalia gaini* Lamy, 1922. Conchiglia 16(184-185):3; 1984.
303. Schnettler, K. I.; Beyer, C. A late Oligocene (Chattian B) mollusca fauna from the coastal cliff at Mogenstrup, north of Skive, Jutland, Denmark. Meded. Werkgr. Tertiaire Kwart. Geol 27(2-3):39-81; 1990.
304. Schnettler, K. I.; Beyer, C. A late Oligocene (Chattian B) mollusc fauna from the clay-pit of Galten Brickworks at Norre Vissing, Jylland, Denmark. Meded. Werkgr. Tertiaire Kwart. Geol 24(3):193-224; 1987.
305. Schwengel, J. S. New marine shells from Florida. Nautilus 56(3):75-78; 1943.
306. Shikama, T. On some noteworthy shells from off Chôshi, Chiba Prefecture. Sci. Rep. Yokohama Univ. (2) no. 8:29-56; 1962.
307. Singleton, J. Some north-west Epitoniidae. W. Aust. Shell Coll no. 24:7; 1980.
308. Smith, C. R. Chemical recognition of prey by the gastropod *Epitonium tinctum* (Carpenter, 1864). Veliger 19(3):331-346; 1977.
309. Smith, V. B. Another look at *Sthenorytis turbinus* (Dall, 1908), comparing it with *Sthenorytis pernobilis* (Fischer and Bernardi, 1857). Am. Conchol 19(1):11; 1991.
310. Smriglio, C.; Mariottini, P.; Gravina, F. Molluschi del mar Tirreno centrale, contributo 7. Segnalazione di alcuni Epitonidi batiali. Boll. Malacol. 29(1-4):81-89; 1993. foreign Italian with English summary.
311. Sohl, N. F. Neogastropoda, Opisthobranchia, and Basommatophora from the Ripley, Owl Creek, and Prairie Bluff formations. Prof. Pap. U.S. Geol. Surv 331-B:153-344; 1964.
312. Springsteen, F. J. Two beautiful Philippine epitoniums. Carfel Phil. Shell News 7(2):9; 1985.
313. Srivastava, J. P.; Arora, R. K. On the occurrence of fossil molluscs in the Tatrot Rocks (Pliocene) near Saketi, Simur District, Himachal Pradesh. J. Palaeontol. Soc. India 28:112-113; 1983.

314. Stanton, T. W. Studies of some Comanche pelecypods and gastropods. Prof. Pap. U.S. Geol. Surv 211:1-256; 1947.
315. Stephenson, L. W. The larger invertebrate fossils of the Navarro groups of Texas (exclusive of corals and crustaceans and exclusive of the fauna of the Escondido Formation). Univ. Texas Bull. Austin 4101:1-641; 1941.
Mollusks pp. 71-438, pls. 1,6-95.
316. Stilwell, J. D.; Zihmsmeister, W. J. Molluscan systematics and biostratigraphy. Lower Tertiary La Meseta Formation, Seymour Island, Antarctic Peninsula. Antarct. Res. Ser 55:1-192; 1992.
317. Strauch, F. Neue Mollusken-Arten aus dem Oberoligozän der Niederrheinischen Bucht. Sonderveröff. Geol. Inst. Köln 13:19-41; 1967.
318. Sunderland, K. Caribbean Epitoniidae. Am. Conchol 17(2):14- 15; 1989.
319. Sunderland, K. Caribbean Epitoniidae part 2. Am. Conchol 18(4):14-15; 1990.
320. Tabakotani, A. *Cirsotrema kagayai* Habe & Ito, 1965. N.Y. Shell Club Notes no. 252:9; 1979.
321. Takahashi, C. Rare finds in Hawaiian waters. Haw. Shell News 33(12):12; 1985.
322. Taki, I. Anatomical study on Japanese Epitoniidae (1) Epitonium, Amaea and Papyriscala. Bull. Natn. Sci. Mus. Tokyo 3: 71-79; 1956.
323. Taki, I. Anatomical study on Japanese Epitoniidae (2) Gyroscala and Acutiscala. Bull. Natn. Sci. Mus. Tokyo 3:176-182; 1957.
324. Talavera, F. G. Moluscos de sedimentos de la plataforma continental de Mauritania. Bol. Inst. Esp. Oceanogr no. 192:1-18; 1977.
325. Taviani, M. On the systematic position of *Cerithiopsis concinna* Sykes, 1925 with description of the new genus *Narrimania* (Gastropoda: Epitoniidae). Boll. Malacol 19(9-12):237-244; 1983.
326. Taylor, J. B. Growth rates in juvenile carnivorous gastropods (Mollusca: Gastropoda) of Kaneohe Bay, Oahu (Hawaii). Proc. Int. Coral Reef Symp 3(1):253-259; 1977.
327. Tembrock, M. L. Einige Beispiele von Faziesabhängigkeit bei teriären Gastropoden. Ber. Geol. Ges. D.D.R 9:311-337; 1964.
328. Termier, G. Gasteropodes du Crétacé supérieur dans le sud- ouest de la France (Group II). Bull. Soc. Hist. Nat. Toulouse 89(3-4):323-382; 1954.
329. Thorson, G. Parasitism in the marine gastropod family Scalidae. Vidensk. Medd. Dansk Naturh. Foren 119:55-58; 1957.

330. Traub, F. Weitere Paleozän-Gastropoden aus dem Helvetikum des Haunsberges nördlich von Salzburg. Mitt. Bayer St. Paläont. Hist. Geol 20:29-49; 1980.
foreign English summary.
331. Tsuchida, E.; Kaneko, Y. Some mollusks collected from Ponape and Majuro, western Pacific. Chiribotan 20(1-2):26-29; 1989.
foreign Japanese with English summary.
332. Turner, R. D. The genera *Amaea* and *Epitonium* in the western Atlantic. *Johnsonia* 3(39):334-344; 1959.
333. Tursch, B.; Pierret, J. New species of mollusks from the coast of Brazil. *Veliger* 7:35-37; 1964.
334. Uhler, F. M.; Locke, L. N. A note on the stomach contents of two whooping cranes. *Condor* 72:246; 1970.
335. Ureta, E. H. Nueva especie del genero *Epitonium* (Bolten, 1798) para el Uruguay. *Comun. Soc. Malacol. Urug* 1(2):27-28; 1962.
336. van Aarsten, J. J.; Bogi, C.; Giusti, F. Osservazioni sul genera *Benthonella* (Rissoidea) in Europa e descrizione di *Laeviphitus* (nov. gen.) *verduini* (n. spec.) (*Epitoniidae*). *Conchiglia* 21(246-249):19-22; 1989.
337. van Aarsten, J. J.; Giannuzzi-Savelli, R. New names for well-known European marine Mollusca. *Boll. Malacol* 27(1-4):1-8; 1991.
338. van Regteren Altena, C. O. Faunistische aantekeningen, 4, Over het vermeende voorkomen von *Epitonium trevelyanum* in Nederland. *Basteria* 19(2/3):26; 1955.
foreign English summary.
339. van Regteren Altena, C. O. The marine Mollusca of the Kendeng Beds (East Java) Gastropoda Part 11 (families Planaxidae - Naticidae inclusive). *Over. Leids. Geol. Meded. Leiden* 12(1):1- 86; 1941.
340. Van Regteren Altena, C. O. On six species of marine Mollusca from Suriname, four of which are new. *Zool. Meded, Leiden* 45:75- 86; 1971.
341. Vanhaelen, M. T. [An example of *Epitonium clathrus* complete with operculum at De Panne on 24.10.1992]. *Strandvlo* 13(2-3):89- 90; 1993.
foreign Dutch.
342. Vermeij, G. J.; Palmer, A. R.; Lindberg, D. R. Range limits and dispersal of mollusks in the Aleutian Islands, Alaska. *Veliger* 33(4):346-354; 1990.
343. Wagner, H. P. A new *Acrilla* from the souther Philippines (Mollusca, Gastropoda, Epitoniidae). *Gloria Maris* 29(1):9-11; 1990.
344. Walrecht, B. J. J. R. Het voorkomen van *Scala clathrus* in Nederlandse wateren. *Basteria* 15:47-48; 1951.

345. Wang, H. The Cenozoic gastropods from Hainan Island and Leizhou Peninsula of Guangdong Province. Mem. Nanjing Inst. Geol. Paleontol no. 17:117-196; 1982.
foreign Chinese with English summary.
346. Ward, L. W.; Blackwelder, B. W. Late Pliocene and early Pleistocene Mollusca from the James City and Chowan River Formations at the Lee Creek Mine. *Smithson. Contr. Paleobiol* no. 61:113-283; 1987.
347. Waren, A.; Bouchet, P. Laubierinidae and Pisanianurinae (Ranellidae), two new deep-sea taxa of the Tonnoidea (Gastropoda: Prosobranchia). *Veliger* 33(1):56-102; 1990.
348. Waren, A.; Bouchet, P. A new species of Vanikoroidae from the western Mediterranean, with remarks on the northeast Atlantic species of the family. *Boll. Malacol* 24(5-8):73-100; 1988.
349. Weil, A. On Folly Beach. *Haw. Shell News* 39(1):1,4; 1991.
350. Weil, A. The wonderful wentletraps of Sanibel. *Haw. Shell News* 37(11):1,4; 1989.
351. Weisbord, N. E. Late Cenozoic gastropods from northern Venezuela. *Bulls. Am. Paleontol* 42(193):1-672; 1962.
352. Woodring, W. P. Geology and paleontology of Canal Zone and adjoining parts of Panama. Description of Tertiary mollusks (Gastropods: Vermetidae to Thaididae). *Prof. Pap. U.S. Geol. Surv* 306-B:147-239; 1959.
353. Yamashiro, H. A wentletrap *Epitonium bullatum* associated with a coral *Sandalolitha robusta*. *Venus* 49(4):299-305; 1990.
354. Yanakevich, A. N. Srednemioetsenovyie bryukhonogie mollyuski Moldavii i usloviya ikh sushchestvovaniya [Middle Micoene gastropods of Moldavia and conditions of their existence]. Kishinev: Shtiintsa; 1987.
foreign Russian with English summary
147 pp.
355. Yaron, I. *Scala pumicea* (Brocchi, 1814) found at Shikmona. *Argamon* 1:8-10; 1970.
356. Yu, W. Some fossil gastropods from Xizang. *Zhongguo Kexueyuan Qingzang gaoyan Zonghe Kexue Kaocha Dui* [The series of the Comprehensive Scientific Expedition to the Qinghai-Xizang Plateau]. Peking: Science Press; 1982: Pp. 255-281. (Xizang gushengwu [Palaeontology of Xizang]; vol. 4).
foreign Chinese with English summary.
357. Zihmeister, W. J. New late Paleocene molluscs from the Simi Hills, Ventura County, California. *J. Paleontol* 57(6):1282-1303; 1983.
358. Zubkovich, M. E. Contribution to the stratigraphy of the Thometian stage of West Crimea. *C. R. Acad. Sci. URSS* 108:920- 922; 1956.
foreign Russian.

SPECIES-GROUP NAMES

aculeatum 45
acus 284
aethiopica 37
africana 36
aglaia 179
agrudensis 1
ahmadi 1
alabiforme 179
alatum 71, 253, 321
albanyana 179
albidum 33, 285, 286, 289, 291, 293, 294, 335
alboscostata 180
algerianum 37, 337
alistairi 343
altavillensis 129
amara 179
amiculum 179
anabathmos 179
analogica 24, 179
andrewsi 61
angolensis 272
angulatum 33
angusta 323
anile 38
annectens 268
annulata 190
antarctodelicata 316
apiculatum 349
appressicostatum 75
arcanum 72
arcella 271
arestrum 253
arnaldi 333
arnaudi 328
asperum 311
atlantis 58, 223
attenuatum 169
aurantia 37
aureomaculata 200
austinense 314
azelotes 325

bakerianum 5
bakhanstranum 172
basicum 90
bavayi 179
bellastriata 75, 106
belliscala 278, 315
berryi 75
berycoides 178

bexarense 315
bezanconi 133
bicarinata 79
billeeana 73, 97, 98, 247, 296
bisertus 23
bitaeniata 202
blainei 255
blaisei 24, 124
bolteni 120
bombyx 179
bonaespei 24, 124
borealis 75, 342
borgesi 273
bowerbankii 358
brachyspeira 179
brunnea 149
brunneopicta 75
bryozoophila 56
buknilli 136
bullatum 78, 179, 353
burchorum 91
burryi 49
bursukensis 354
byramensis 197

caamanoi 75
californica 75
callizona 145
caneroti 42
carolmartini 339
carolinae 120
caseyi 197
catalinae 75
catalinense 75
celesti 228, 310
cerea 189
cerigottana 235, 310
cerithielloides 37
cerralvoensis 75, 77
chalceum 243
chancellorum 262
charitopolos 316
clarki 243
clathratulum 65, 66, 265
climacotum 179
climaspira 3
coarctata 37, 234
cochlea 113, 117
colimanum 151
coloniensis 109, 110

columba 179
 columbiana 75
 communis 264
 concinna 281, 310, 325
 congestum 311
 contexta 77
 cookeana 75
 cookei 197
 cooperi 75
 coronatum 53, 96, 180
 corsicana 112, 235
 cortezi 121
 cossmanni 257
 costatocontinuum 345
 costulata 47
 costulatum 34, 78
 crebricostata 75
 crebricostatus 48
 crenata 112, 137, 218, 244
 crenimarginata 107, 329
 crenulatum 81, 187
 creolum 249
 crideri 278, 315
 crispata 80, 179
 crypticorona 179

dalli 271
 dallianum 61
 danvillense 249
 darwishii 3
 dautzenbergi 263
 deifica 80
 dendrophylliae 37
 densiclathratum 75
 deroyae 77
 desertorum 3
 diachorista 132
 diana 94
 diminuta 44
 dipterophorum 70
 dissimilis 132
 distantepirata 234
 diurna 199
 diversiformis 100
 dragonella 187
 dubiosa 100
 duboisi 111
 durhami 5, 171, 197, 357
 durhamianum 151

eborea 179
 eboreum 14, 191, 192
 echinaticostatum 286, 290

edgari 183, 312
 edgecombense 120
 edwilsoni 92
 effiae 75
 egitoensis 272
 elata 208
 elongata 108, 179
 eltanini 62
 eolis 49
 erecta 179
 escandoni 121
 eschrichtii 37
 essawii 1
 eucteanum 352
 eusculptum 229
 euthynta 352
 evicta 27
 exfoliata 37
 exilis 208
 eximiella 189
 eximium 229
 expansa 309
 ezoensis 207

failianum 248
 faizae 4
 falconi 179
 fasciatum 120
 feldmanni 38
 ferminiana 94, 242, 259
 fimbriata 189
 fimbriatula 189, 312
 fimbriosa 233
 finlayi 208
 fischeri 37
 fistulosa 311
 floridana 105
 foliacea 39
 folini 37
 fortunata 37
 foulisi 179
 fragilissima 37
 francisae 52
 fratercula 128
 frielei 104
 frondiculum 226
 fucatum 86, 169, 179
 funiculata 31, 75
 fusca 37

gagei 210
 gaini 302
 gajensis 313

gazae 179
gemma 182
geniculata 123
georgettina 335
germanica 160
ghorabensis 4
globosa 189
gloriola 83
goldsmithi 91
gracilis 37, 189
gradatum 252
gradilis 83
greenlandicum 75, 195, 251, 261, 306
grenadinarum 164
guernei 37
guineense 36
guttata 38

hachijoensis 323
hancocki 77
hanemae 1
harpago 179
hassani 3
hautevillensis 129
hellenica 22
hemmesi 91
hemphilli 75
herosae 70
hertleini 225, 241
hindsii 75
hiranoi 306
hispidula 37, 116
hispidulum 232, 310
histriaca 108
hopkinsi 197
huffmani 99
humphreysi 284, 349
huttoni 208
hyalina 81

illovoensis 24, 124
imperialis 203
inazawai 146, 188
indianorum 75, 300
infrequens 75
intercedocostata 345
ishimotoi 202
issawii 4
iwaotakii 20

japonica 202, 239
japonicum 306
jeffreysi 37

jimpyae 179
jinnati 157
junceum 120
juvenca 301

kagayai 147, 320
kaiparaensis 193, 208
kandai 20
kaokao 208
kashiwajimensis 18, 179
kendacensis 164
kharghensis 3
kieneri 12
kilburni 70
koeneni 159
komitica 193
koshimagani 227
krausii 179
krousma 179
kuroharai 11

lacrima 179
lactea 179
laevigata 170
laguairense 351
lamellicostata 345
lamellosum 53, 88, 90, 96, 180, 250, 270
laticostata 184
latifasciata 179, 322, 323
latifasciatum 130
lawsii 208
leai 346
leroyi 298
liliputanum 71, 212
lincta 37
linctum 116
lineae 8
linateum 305
livernantensis 328
lobata 179
longinosum 77
lotus 201
lowei 75
luceo 91
luisae 282
luxus 37, 239
lyocephalum 174

macandreae 11
mackayi 199, 208
macleani 77
macromphalus 179
magellanicum 110, 283, 335

magnifica 322, 323
manzanillense 151
maraisi 179
marenum 351
marialuisae 160
marmoratum 331
mathildona 189
mathildopsis 25, 26, 124
matugisiensis 246
matureense 165
mauritanica 324
mauryi 333
maxima 330
medioangulata 233
meglomerae 248
meiringnaudeae 179
menthfontis 197
mesomorpha 132
methoria 179
midwayensis 103, 148
millecostatum 80, 169, 179, 287
minihagali 67
minor 179
minuta 345
minuticosta 75
miofimbria 233
mitchelli 269, 332
mituokai 246
montereyensis 27, 75
mormulaeformis 189
mucronata 108
multistriatum 104, 284
munda 124, 179
muricata 198
mzambanum 179

nagaoi 245
nana 37
nasulum 249
natalis 24
nebulodermata 19, 84, 125
neozelanica 29
nicolayi 235
nielseni 304
nigeriensis 101
nitida 190
nitidella 284
nitidum 275
nordica 127

obtusicastrum 47
odilae 52
oerstedianum 151

ofunatoensis 168
ogaitoi 201
okezoko 18
okinavensis 196
oligocostata 184
ootanii 18
opeas 179
oppositum 179
ordenanum 75
oyamadensis 155
oyasionensis 246

pakistanica 100
pallidizonata 189
palmerae 197
paradisi 151
parvonatrix 179
paucilamellosum 317
paulula 93
paumotensis 83
perexilis 179
performosa 37
perlucida 108
pernobilis 309
perplexum 176, 323
persuturum 75
pilsbryi 214, 215
plana 219
pluricostata 27
polacium 141
polita 75
polygyrella 37
pondi 315
pongensis 277
poronaiensis 207
praelonga 37
praeopinata 132
pratti 120
primitiva 51
principalis 254
procerus 357
producta 179
prolongata 179
pseudocrispula 327
pseudogallica 128
pseudonanum 37
pseudoscalare 46
pseudosulcata 179
psomion 179
pteroen 182
pulchellum 117, 337
pumiceum 240, 355
punjabensis 100

pupiformis 189
 pyrrhias 37

 rakhiensis 100
 rarecostulata 130
 reckilamellata 179
 reconditum 179
 reconductum 179
 recreata 179
 rectilaminata 75
 regionmontana 75
 renaulti 40
 repandior 179
 repandum 179
 replicatum 71, 152, 253
 reticulata 347
 retifera 104
 richardi 35, 37
 rietensis 180
 robesonense 120
 robusta 353
 rochensis 315
 rohri 165
 rubricollis 197
 rufanensis 180
 rugata 128
 rugosum 190
 rupicola 211, 294, 334
 ryukyuensis 230, 231

 sallomacensis 127
 sallykaicherae 179
 sandwichensis 86
 sawamurai 17
 sawinae 75
 scalare 16, 59, 162, 221, 222, 236, 238, 288, 322, 323
 schencki 153
 schultzi 37, 337
 schutanurensis 7
 secunda 190
 senonica 126
 sericifilum 332
 sericogazea 189
 setonaikaiensis 201
 shepstonensis 179
 shibuyai 206
 shimajiriensis 196
 shinzatoensis 230
 shyorum 99
 siapnoi 89
 simplex 179
 skoglundae 93
 smithi 195, 232

 sodalis 208
 sohli 346
 solumcostata 68
 soriensis 100
 soror 128
 sororastra 179
 sougraignensis 63
 sparsum 311
 spirata 11
 spirornatus 48
 spongiosa 75
 spyridion 179
 statuminatum 55, 90
 stearnsii 75
 straeleni 127, 160
 striaticostatatum 311
 striatissima 113
 striatissimum 140, 220
 subcancellata 18
 subdecussata 112, 310
 subglabrum 303
 submaculosum 196
 subnodulosa 209
 sulfurea 301
 suroclathrata 316
 suteri 208
 suzuensis 205
 symmetricum 83, 212
 synekhes 179
 syoichiroi 202

 taiwanense 167
 tamsinae 179
 tangana 179
 taurica 358
 tavianii 37
 telfordi 5
 tenebrosum 124, 179
 tenellum 177
 tenerrimus 29
 tenerum 154, 155
 tenuisculpta 37
 tenuispiralis 30
 tenuistriatum 6, 335
 terebralioides 181
 textimattum 74
 thalassiae 37
 theilei 144
 thorssoni 91
 thyraeum 179
 tiberii 37, 116, 139, 310
 tiburonense 104, 349
 tinctoria 75

tinctum 41, 69, 75, 163, 274, 300, 308
tioria 233
togatum 90, 94, 151, 266
tollini 104
toroensis 352
torquata 108
tosaensis 18
trabecula 233
transkeiana 179
tremperi 75
trevelyanum 337, 338
tricincta 130
trigintanaria 197
trochiformis 60
tryoni 37
tumida 15
tumidula 267
turbinus 94, 95, 276, 309
turbonillaeforme 159
turnerae 340
turonensis 263
turris 108
turrita 54
turritellulum 104, 297
typhoidis 317

ulu 78, 84, 326
undulatum 166
unifasciatum 284

varicosa 85, 179
varicostata 75
varicosum 179

venado 243
venezuelense 351
venusta 108
verduini 336
vetusta 208
vicina 37
vigintifoliata 189
virgo 202
vivesi 151

wadei 311
waikakahiensis 208
walkerianum 151
wheeleri 216
whitechurchi 179
whitei 5, 171
wiepkeense 161
woolacottae 175
wroblewskii 27
wyattdurhami 153

xenicima 84
xungmeiensis 356

yabei 204
yamamotoi 207
yokozunai 246
youngi 179

zakii 1
zelebori 255
zephyrinum 90
zitteli 208

GENUS-GROUP NAMES

- Acirsa 1, 37, 47, 54, 68, 75, 77, 112, 133, 168, 179, 219, 235, 263, 268, 272, 310, 354
Acirsella 354
Acrilla 1, 4, 24, 29, 84, 100, 101, 128, 179, 184, 193, 197, 208, 343, 357
Acrilloscala 37, 197
Acutiscula 323
Alexania 105
Alora 29
Amaea 1, 3, 4, 9, 18, 20, 29, 36, 37, 43, 75, 77, 84, 89, 92, 94, 104, 113, 123, 126, 144, 160, 179, 190, 201, 233, 239, 259, 269, 312, 316, 322, 323, 330, 332, 345
Armenostoma 7
Asperiscula 62, 73, 74, 75, 77, 91, 97, 99, 106, 141, 151, 165, 179, 220, 284, 332, 351
Australolaxispira 345
Avalitiscala 179
Berthais 348
Bifidosala 233
Boreoscala 4, 75, 110, 130, 153, 154, 155, 195, 207, 246, 306, 335
Brookula 182
Camposcala 23
Cavoscala 358
Cerithiscala 327
Chuniscala 179
Cinctiscala 189, 229, 230
Circuloscala 8, 161
Cirsotrema 1, 8, 12, 46, 85, 90, 94, 100, 113, 117, 121, 127, 147, 151, 157, 159, 161, 166, 167, 169, 179, 190, 207, 208, 210, 214, 215, 233, 240, 245, 249, 266, 271, 303, 304, 305, 317, 320, 327
Cirsotremopsis 1, 113, 245, 271, 317
Clariscala 230
Clathroscala 18, 189, 208
Clathrus 10, 108, 118, 120, 138, 184, 199, 218, 243, 280, 341, 344, 345
Claviscala 3, 11, 35, 103, 148, 181, 196, 328
Compressiscala 37, 179, 202
Confusiscala 42, 52, 197, 257, 272, 301, 328, 330, 356
Constantia 348
Coroniscala 249
Crisposcala 51, 100, 129, 196, 216, 231, 248
Crossotrema 48
Cycloscala 81, 179
Cylindriscala 37, 129, 208, 260, 284
Dannevigena 1
Delicatiscala 179
Dentiscala 49, 93, 108, 112, 128, 225, 243, 263, 317
Depressiscala 75, 87, 284, 352
Discoscala 4, 233, 312, 316
Doderlinia 178
Eccliseogyra 37, 275
Eglisia 11, 149
Elegantiscala 183, 189, 190, 312
Epitonium 5, 6, 14, 16, 17, 20, 30, 33, 34, 37, 38, 41, 45, 47, 53, 59, 61, 64, 65, 66, 69, 70, 71, 72, 73, 74, 75, 77, 78, 80, 84, 91, 93, 95, 96, 97, 99, 102, 104, 109, 110, 116, 120, 124, 130, 136, 138, 139, 140, 141, 151, 152, 153, 154, 155, 158, 162, 163, 165, 167, 172, 173, 174, 175, 176, 177, 179, 180, 182, 187, 191, 192, 195, 196, 202, 203, 204, 207, 208, 211, 212, 213, 214, 215, 216, 220, 221, 222, 226, 228, 229, 231, 232, 236, 237, 238, 242, 243, 246, 247, 248, 250, 251, 252, 253, 254, 255, 261, 262, 265, 270, 274, 275, 276, 277, 280, 283, 284, 285, 286, 287, 288, 289, 290, 291, 293, 294, 296, 297, 299, 300, 305, 306, 308, 310, 312, 314, 315, 316, 321, 322, 323, 326, 331, 332, 333, 334, 335, 337, 338, 339, 340, 341, 346, 347, 349, 351, 352, 353
Ferminoscala 5, 100, 171, 242, 357
Filiscala 179
Firmiscala 179
Foliaceiscala 108, 179
Foraceiscala 202
Foratiscala 113
Fragiliscala 18
Fragilopalina 19, 84, 125, 179, 202
Funis 3, 48
Funiscala 197
Glabriscala 196
Globiscala 18, 78, 175, 179
Goniscala 199
Graciliscala 202, 227
Gregorioscala 37, 208
Gyroskala 5, 46, 88, 96, 100, 108, 174, 176, 180, 207, 248, 250, 323
Habea 145, 146, 188, 295
Hemiacirsa 1, 168, 263
Hirtoscala 116, 179, 198
Hyaloscala 117, 120, 136, 179
Innesiscala 345
Iphitella 29
Iphitus 29
Itiscala 208
Kallosinistrala 316
Kurodacirsa 201
Labeoscala 179
Laeviphitus 336

Laeviscala 86, 91, 179
 Lamelliscala 179
 Lampropalia 190
 Laniscala 14, 191, 192
 Librariscala 80, 179
 Limiscala 179
 Littoriniscala 3
 Murdochella 62, 179
 Narrimania 281, 310, 325
 Narvaliscala 345
 Nipponoscala 200
 Nitidiscala 5, 55, 72, 75, 77, 90, 93, 151, 163, 172, 179, 189
 Nodiscala 9, 49, 75, 197, 205, 239
 Notacirsa 208, 209
 Nystiella 58, 179, 306, 325
 Obstopalia 179
 Opalia 1, 22, 27, 30, 31, 37, 49, 61, 75, 79, 91, 93, 107, 112, 127, 128, 137, 170, 173, 179, 181, 208, 218, 225, 235, 244, 260, 302, 311, 317, 324, 329, 342
 Opaliopsis 159, 179, 223, 282, 303
 Papuliscala 37, 44
 Papyriscala 130, 177, 179, 322, 323
 Parviscala 70, 80, 83, 116, 128, 179
 Periapta 37
 Perlucidiscala 179
 Pictoscala 120
 Plastiscala 179
 Plesioacirsa 235, 272
 Pliciscala 63, 128, 179, 193, 197, 208, 235, 311
 Proscala 3
 Pseudacirsa 234
 Punctiscala 151, 197, 310
 Pupiscala 179, 189, 202
 Rutelliscala 179
 Sagamiscala 179, 189
 Scala 7, 10, 24, 25, 26, 37, 39, 52, 56, 67, 100, 108, 111, 117, 124, 127, 128, 129, 144, 179, 182, 184, 189, 198, 218, 264, 267, 273, 313, 344, 345, 355
 Scalaria 15, 23, 37, 40, 75, 90, 169, 179, 180, 220, 298, 337
 Scalina 5, 73, 75, 77, 92, 94, 98, 121, 164, 189, 197, 206, 259
 Sculptifer 29
 Sodaliscala 179
 Solvaclathrus 187
 Spiniscala 120, 189
 Springvaleia 298
 Stenacme 295
 Sthenorytis 60, 75, 94, 95, 164, 241, 276, 309, 352
 Tenuiscala 132
 Teramachiacirsa 190
 Torquaticala 129
 Turriscala 3, 127, 160, 196, 208, 230
 Undiscala 100, 160
 Viciniscala 18, 237
 Zebinostoma 54

FAMILY-GROUP NAMES AND HIGHER

Epitoniinae 29
Murchisoniata 258
Nystiellinae 29
Pseudoninae 28

OTHER ORGANISMS

Actinariophila 202
Anthopleura 300
Anthopleura xanthogrammica 329
Bunodeopsis globulifera 290
Bunodosoma biscayensis 66
Cerithiopsis 325
coral 29, 34, 37, 78, 97, 194, 292, 294, 353
Dendrophyllia 97, 296
Dendrophyllia ramea 37
Epizoanthus 227
Fungia 78, 97, 299
Haliplanella luciae 294
Metridium senile 261
Palythoa 287
Parahalomitra 353
Paranthus rapiformis 294
Sandalolitha 353
sea anemones 66, 261, 287, 294
Stoichactis helianthus 293, 294
Tealia 300
Thalia 179
Tubastrea 97, 296
whooping crane 334

GEOGRAPHIC NAMES

- Adriatic 22
Africa 36, 43
Alabama 248, 311
Alaska 195, 342
Algeria 40
Angola 60, 272
Antarctica 62, 316
Arctic ocean 47
Argentina 44
Ascension island 297
Atlantic ocean 36, 37, 43, 50, 119, 141, 142, 143, 179, 244, 275, 297
Australia 12, 57, 175, 176, 194, 203, 247
Austria 330
Bahamas 254, 290, 294
Baja california 77, 92
Barbados 285
Belgium 127
Black Sea 156
Brazil 61, 283, 284, 333
British Columbia 185
British Isles 119, 134, 135, 150, 265
California 5, 31, 106, 171, 274, 301, 357
Cape Province 174
Cape Verde Islands 302, 324
Caribbean 285, 318, 319
Central America 151
China 345, 356
Costa Rica 252
Crete 113
Crimea 358
Cuba 104, 105
Delaware 278
Denmark 119, 303, 304
Ecuador 94, 241, 266
Egypt 1, 3, 4
England 48
Europe 150
Falklands 268
Florida 49, 215, 271, 305, 350
France 132, 328
Galapagos 77, 93, 276
Georgia 251
Germany 8, 159, 160, 161, 317, 327
Gulf of California 95, 98, 152, 172
Gulf of Mexico 33, 141, 142, 143
Hawaii 34, 71, 80, 81, 82, 83, 84, 85, 86, 87, 91, 212, 213, 253, 321
Hungary 170, 219
India 16, 270, 313
Indian Ocean 26, 179, 203, 256, 307
Indo-Pacific 78
Israel 234, 355
Italy 28, 45, 46, 56, 58, 137, 282, 336
Japan 9, 17, 18, 20, 130, 145, 147, 148, 154, 168, 178, 183, 187, 188, 189, 190, 196, 200, 201, 202, 204, 205, 206, 207, 227, 230, 231, 237, 238, 239, 245, 246, 306, 320, 353
Java 339
Madagascar 25, 26, 51, 52
Malta 223
Maryland 262
Mediterranean 22, 35, 45, 108, 112, 113, 114, 115, 116, 117, 123, 137, 139, 140, 156, 223, 234, 235, 240, 281, 310
Mexico 74, 77, 92, 93, 95, 98, 99, 121, 151, 152, 172, 260
Mississippi 68, 197, 249, 311
Moldavia 354
Mozambique 179, 181, 182, 273
Natal 162
Netherlands 233, 338, 344
New Guinea 108
New Zealand 29, 122, 193, 199, 208, 209, 210
Nigeria 101
North America 75
North Carolina 120, 251, 271, 346
Okinawa 187, 196
Oregon 153, 185, 225
Pacific Ocean 74, 75, 76, 89, 93, 97, 163, 243, 252, 256
Pakistan 100, 157
Panama 55, 76, 90, 93, 243, 352
Panamic 76, 93, 99, 151, 173
Paumotou 108
Peru 158, 259, 277
Philippines 125, 149, 312, 343
Poland 184, 186
Queensland 175, 194, 247
Red Sea 221, 222, 299
Reunion 70
Romania 138, 354
Ross Sea 62
Ryukyu Islands 230, 231
Sanibel 350
Siberia 126
Sicily 137
Solomon Islands 64
South Africa 24, 162, 174, 179
South Carolina 349
South China Sea 19
Spain 42, 198, 244
Sri Lanka 67

Suriname 340
Taiwan 19, 167, 192
Tennessee 311
Texas 33, 315, 332
Trinidad 165
Ukraine 358
Uruguay 109, 110, 335
USSR 126, 257, 358

Venezuela 166, 269, 351
Virgin Islands 285
Wales 32
Washington 185, 216
West Indies 164, 165, 285, 298
Western Australia 307
Windward Islands 164

GEOLOGICAL ERAS

Cenozoic 210, 351

Cretaceous 3, 42, 48, 51, 126, 158, 168, 257, 272, 278, 301, 311, 314, 315, 328, 356

Eocene 4, 68, 100, 101, 121, 132, 157, 208, 216, 249

Mesozoic 277

Miocene 1, 5, 8, 40, 60, 67, 109, 110, 111, 120, 127, 128, 159, 160, 164, 165, 166, 167, 170, 171, 184, 196, 204, 206, 209, 233, 260, 262, 330, 354

Neogene 28, 39, 198, 241, 266

Oligocene 56, 153, 161, 197, 207, 225, 245, 303, 304, 317, 327, 345

Paleocene 186, 357

Pleistocene 9, 31, 46, 58, 136, 237, 251, 282, 345

Pliocene 90, 92, 94, 165, 174, 195, 196, 226, 230, 231, 246, 313, 346, 352

Quaternary 6, 39

Tertiary 154, 205, 298, 316

OTHER

anatomy 118, 322, 323
anomalies 106
associations 29, 37, 78, 112, 194, 287, 292
bathyal 310
biogeography 78, 119, 250
biology 11, 29, 55, 93, 112, 119, 178, 240, 261, 279, 285, 288, 290
chemoreception 261, 300, 308
comb. nov. 5, 7, 29, 54, 73, 124, 144, 208, 220, 325, 347
costae 53, 286
decoration 264
development 27, 146, 247
eggs 211
evolution 2, 48
fossil 1, 3, 4, 5, 7, 8, 9, 31, 39, 40, 42, 46, 48, 51, 52, 56, 58, 60, 63, 67, 68, 90, 92, 94, 100, 101, 109, 110, 111, 120, 121, 126, 127, 132, 136, 153, 154, 157, 158, 159, 160, 161, 164, 165, 166, 167, 168, 170, 171, 174, 184, 186, 193, 195, 196, 197, 198, 199, 204, 205, 206, 207, 208, 209, 210, 216, 219, 225, 226, 230, 231, 233, 237, 241, 245, 246, 248, 249, 251, 257, 260, 262, 266, 272, 277, 278, 282, 298, 301, 303, 304, 311, 313, 314, 315, 316, 317, 327, 328, 330, 345, 346, 351, 352, 354, 356, 357
gen. nov. 18, 19, 23, 37, 48, 179, 188, 189, 190, 199, 200, 201, 202, 208, 298, 315, 316, 325, 336, 345
genitalia 118
growth 163, 265, 289, 326
habitat 113
history 59
keys 13, 37, 102, 132, 134, 135, 138, 139, 150, 173, 179, 185, 270, 284
larvae 211, 279, 280
models 163
mortality 65
museums 32, 169
name availability 27, 103, 133
nom. nov. 130, 155, 189, 245, 337
nom. nud. 109, 358
nomenclature 103, 236
operculum 341
paraspermatic cell 218
philately 238
predation 334
prey 66, 76, 97, 261, 290, 293, 294, 296, 299, 300, 329
protandry 291
radula 21, 247, 292, 322
reproduction 211
shell 65, 163
spawning 299
spermatozoa 10, 41, 107, 217, 229
spontaneous separation 65
subfam. nov. 28
subgen. nov. 179, 192
synonymy 11, 27, 37, 75, 88, 90, 96, 129, 179, 180, 232, 250, 255, 295, 337
systematics 29, 53, 93, 119, 131, 191, 224, 258, 275, 286, 337
toxins 300
types 6, 14, 15, 37, 38, 75, 169, 325
variation 274