


Router 'ITS_S_6513' Interfaces



Showing 44 Items

Average / Max / PCT95				
	Interface	Input	Output	Total
ITS_S_6513	GigabitEthernet4/24 <i>TW I1 Gig to TW slot 13</i>	63.41 Mbps	49.14 Mbps	112.55 Mbps
ITS_S_6513	GigabitEthernet4/15 <i>1Gig ITS_South via Ciena to ABQG via TipPoint</i>	36.66 Mbps	51.14 Mbps	87.80 Mbps
ITS_S_6513	TenGigabitEthernet9/1 <i>CIRT_6513 to EECE_6513</i>	23.28 Mbps	41.65 Mbps	64.93 Mbps
ITS_S_6513	GigabitEthernet3/21 <i>McData GigE Connection for 505 Marquette</i>	27.86 Mbps	20.73 Mbps	48.59 Mbps
ITS_S_6513	GigabitEthernet4/2 <i>Netscreen NS2 g2/1</i>	28.93 Mbps	9.72 Mbps	38.65 Mbps
ITS_S_6513	TenGigabitEthernet9/3 <i>CIRT_6513 to SSB_6513</i>	12.64 Mbps	12.03 Mbps	24.67 Mbps
ITS_S_6513	GigabitEthernet3/10 <i>Dorms 12G at SSB</i>	16.74 Mbps	7.04 Mbps	23.78 Mbps
ITS_S_6513	Vlan8 <i>Dot_8_Subnet</i>	5.98 Mbps	16.18 Mbps	22.16 Mbps
ITS_S_6513	Vlan316 <i>CIRT Office vlan 316</i>	10.63 Mbps	7.28 Mbps	17.91 Mbps
ITS_S_6513	TenGigabitEthernet9/2 <i>CIRT_6513 to PPD_6513</i>	9.06 Mbps	7.85 Mbps	16.90 Mbps

Router 'ITS_S_6513' Interfaces

ITS_S_6513 TenGigabitEthernet10/1 <i>CIRT_6513 to Scholes_6513 10 G</i>	2.93 Mbps	9.32 Mbps	12.25 Mbps
ITS_S_6513 GigabitEthernet12/21 <i>WAN_7206 gig 0/2_Prim Connection</i>	1.96 Mbps	4.42 Mbps	6.38 Mbps
ITS_S_6513 GigabitEthernet3/16 <i>South_Campus_new_12G</i>	1.50 Mbps	4.73 Mbps	6.22 Mbps
ITS_S_6513 Vlan32 <i>Network_Appliance_MGMT</i>	4.72 Mbps	1.05 Mbps	5.77 Mbps
ITS_S_6513 GigabitEthernet12/45 <i>Cisco Cirt VPN 1 Public Interface</i>	2.63 Mbps	3.11 Mbps	5.74 Mbps
ITS_S_6513 GigabitEthernet12/20 <i>akamai g12/20</i>	3.16 Mbps	1.12 Mbps	4.28 Mbps
ITS_S_6513 Vlan218 <i>Law School</i>	361.46 Kbps	2.46 Mbps	2.82 Mbps
ITS_S_6513 Vlan810 <i>UNM_Wireless_Guest</i>	145.34 Kbps	2.50 Mbps	2.65 Mbps
ITS_S_6513 Vlan811 <i>UNM_Wireless_Web-Auth</i>	573.73 Kbps	1.58 Mbps	2.15 Mbps
ITS_S_6513 Vlan256	2.10 Mbps	38.83 Kbps	2.14 Mbps
ITS_S_6513 Vlan153	385.70 Kbps	1.22 Mbps	1.60 Mbps
ITS_S_6513 Vlan226	110.31 Kbps	951.08 Kbps	1.06 Mbps
ITS_S_6513 Vlan60 <i>UNM dial_up</i>	109.42 Kbps	579.45 Kbps	688.87 Kbps
ITS_S_6513 Vlan150 <i>Multicast test subnet</i>	487.17 Kbps	192.55 Kbps	679.72 Kbps
ITS_S_6513 Vlan10	317.51 Kbps	256.55 Kbps	574.05 Kbps
ITS_S_6513 GigabitEthernet12/47 <i>Cisco Cirt VPN 1 Private Interface</i>	495.61 Kbps	30.00 bps	495.64 Kbps
ITS_S_6513 GigabitEthernet12/26	124.97 Kbps	354.91 Kbps	479.88 Kbps

Router 'ITS_S_6513' Interfaces

Sevilleta ATM

ITS_S_6513 Vlan800 <i>Zone0_Wireless_ITS</i>	105.42 Kbps	204.87 Kbps	310.29 Kbps
ITS_S_6513 FastEthernet5/2 <i>wireless_184 subnet</i>	27.89 Kbps	167.49 Kbps	195.38 Kbps
ITS_S_6513 Vlan812 <i>UNM_Wireless_Secure</i>	26.68 Kbps	134.95 Kbps	161.63 Kbps
ITS_S_6513 Vlan116 <i>MR1_MR2_mgmt</i>	30.28 Kbps	27.53 Kbps	57.81 Kbps
ITS_S_6513 GigabitEthernet3/15 <i>505_6513 Link TWTC GigE NoTipPoint</i>	9.18 Kbps	38.85 Kbps	48.03 Kbps
ITS_S_6513 Vlan755 <i>255_Wired_Voice</i>	13.37 Kbps	13.93 Kbps	27.30 Kbps
ITS_S_6513 GigabitEthernet3/24 <i>UNMH_EOC</i>	2.01 Kbps	12.88 Kbps	14.89 Kbps
ITS_S_6513 GigabitEthernet12/22 <i>SW2/RTR2 to CHECSNET (INTERNET-2) LINK</i>	2.92 Kbps	184.00 bps	3.10 Kbps
ITS_S_6513 GigabitEthernet12/8 <i>GSD VPN outside interface</i>	1.44 Kbps	1.45 Kbps	2.89 Kbps
ITS_S_6513 GigabitEthernet12/2 <i>Cisco CIRT VPN2 public interface</i>	1.09 Kbps	775.00 bps	1.86 Kbps
ITS_S_6513 GigabitEthernet12/3 <i>Cisco CIRT VPN2 private interface</i>	521.00 bps	1.14 Kbps	1.66 Kbps
ITS_S_6513 Vlan203 <i>LAN Team Testing-wireless voice</i>	795.00 bps	860.00 bps	1.66 Kbps
ITS_S_6513 GigabitEthernet12/7 <i>GSD VPN inside interface</i>	1.08 Kbps	0.00 bps	1.08 Kbps
ITS_S_6513 Vlan612 <i>Wireless 12G Mgt network</i>	305.00 bps	284.00 bps	589.00 bps
ITS_S_6513 GigabitEthernet12/24 <i>WAN_7206 gig 0/1 TippPoint_ByPass</i>	398.00 bps	173.00 bps	571.00 bps

Router 'ITS_S_6513' Interfaces

ITS_S_6513			
Vlan211	297.00 bps	230.00 bps	527.00 bps
<i>planetlab</i>			
ITS_S_6513			
Vlan918	1.00 bps	17.00 bps	18.00 bps
<i>Law_POS</i>			
Router Total	257.96 Mbps	257.62 Mbps	515.58 Mbps